

**THULE**
SWEDEN

Thule Rapid System Kit 1783

> Instructions





CHEVROLET Colorado, 4-dr Crew Cab, 15-

CHEVROLET S10, 4-dr Double Cab, 12-

GMC Canyon, 4-dr Crew Cab, 15-

HOLDEN Colorado, 4-dr Double Cab, 12-

ISUZU D-Max, 4-dr Crew Cab, 12-



ISO 11154-E

141783

C.20150310


519-1783-01

Bring your life


thule.com





390 x2



391 x1



392 x1




1234 x4

52597



x4






x1



x1

1



	X (scale)	X (mm)	X (inch)
CHEVROLET Colorado , 4-dr Crew Cab, 15-	38	1031	40 ⁵ / ₈
CHEVROLET S10 , 4-dr Double Cab, 12-	38	1031	40 ⁵ / ₈
GMC Canyon , 4-dr Crew Cab, 15-	38	1031	40 ⁵ / ₈
HOLDEN Colorado , 4-dr Double Cab, 12-	38	1031	40 ⁵ / ₈
ISUZU D-Max , 4-dr Crew Cab, 12-	38	1031	40 ⁵ / ₈




	Y (scale)	Y (mm)	Y (inch)
CHEVROLET Colorado , 4-dr Crew Cab, 15-	35.5	1006	39 ⁵ / ₈
CHEVROLET S10 , 4-dr Double Cab, 12-	35.5	1006	39 ⁵ / ₈
GMC Canyon , 4-dr Crew Cab, 15-	35.5	1006	39 ⁵ / ₈
HOLDEN Colorado , 4-dr Double Cab, 12-	35.5	1006	39 ⁵ / ₈
ISUZU D-Max , 4-dr Crew Cab, 12-	35.5	1006	39 ⁵ / ₈

2






CHEVROLET Colorado, 4-dr Crew Cab, 15-
CHEVROLET S10, 4-dr Double Cab, 12-
GMC Canyon, 4-dr Crew Cab, 15-
HOLDEN Colorado, 4-dr Double Cab, 12-
ISUZU D-Max, 4-dr Crew Cab, 12-



3





	W (mm)	Z (mm)	W (inch)	Z (inch)
CHEVROLET Colorado , 4-dr Crew Cab, 15-	250	700	9 ⁷ / ₈	27 ¹ / ₄
CHEVROLET S10 , 4-dr Double Cab, 12-	250	700	9 ⁷ / ₈	27 ¹ / ₄
GMC Canyon , 4-dr Crew Cab, 15-	250	700	9 ⁷ / ₈	27 ¹ / ₄
HOLDEN Colorado , 4-dr Double Cab, 12-	250	700	9 ⁷ / ₈	27 ¹ / ₄
ISUZU D-Max , 4-dr Crew Cab, 12-	250	700	9 ⁷ / ₈	27 ¹ / ₄







4



1








2
















CHEVROLET Colorado, 4-dr Crew Cab, 15-	250 mm	700 mm	9 7/8"	27 1/2"
CHEVROLET S10, 4-dr Double Cab, 12-	250 mm	700 mm	9 7/8"	27 1/2"
GMC Canyon, 4-dr Crew Cab, 15-	250 mm	700 mm	9 7/8"	27 1/2"
HOLDEN Colorado, 4-dr Double Cab, 12-	250 mm	700 mm	9 7/8"	27 1/2"
ISUZU D-Max, 4-dr Crew Cab, 12-	250 mm	700 mm	9 7/8"	27 1/2"

X mm Y mm X inch Y inch





CHEVROLET Colorado, 4-dr Crew Cab, 15-
CHEVROLET S10, 4-dr Double Cab, 12-
GMC Canyon, 4-dr Crew Cab, 15-
HOLDEN Colorado, 4-dr Double Cab, 12-
ISUZU D-Max, 4-dr Crew Cab, 12-



1

2

CHEVROLET Colorado, 4-dr Crew Cab, 15-	35,5	Y inch
CHEVROLET S10, 4-dr Double Cab, 12-	35,5	Y inch
GMC Canyon, 4-dr Crew Cab, 15-	35,5	Y inch
HOLDEN Colorado, 4-dr Double Cab, 12-	35,5	Y inch
ISUZU D-Max, 4-dr Crew Cab, 12-	35,5	Y inch

1



2



CHEVROLET Colorado, 4-dr Crew Cab, 15-	38	X inch
CHEVROLET S10, 4-dr Double Cab, 12-	38	X inch
GMC Canyon, 4-dr Crew Cab, 15-	38	X inch
HOLDEN Colorado, 4-dr Double Cab, 12-	38	X inch
ISUZU D-Max, 4-dr Crew Cab, 12-	38	X inch

1

2

3






instructions

Kit 1783

CHEVROLET Colorado, 4-dr Crew Cab, 15-
CHEVROLET S10, 4-dr Double Cab, 12-
GMC Canyon, 4-dr Crew Cab, 15-
HOLDEN Colorado, 4-dr Double Cab, 12-
ISUZU D-Max, 4-dr Crew Cab, 12-



480R
754



ISO 11154-E

PROFESSIONAL

THULE
SWEDEN®