







Thule Rapid System Kit 1726

> Instructions


SKODA Octavia, 4-dr Sedan, 13-
SKODA Octavia, 5-dr Hatchback, 13-
SKODA Superb, 4-dr Sedan, 15-



ISO 11154-E



141726
C.20150906
519-1726-02

Bring your life
thule.com



1



	X (scale)	X (mm)	X (inch)
SKODA Octavia , 4-dr Sedan, 13-	40	1051	41 ³ / ₈
SKODA Octavia , 5-dr Hatchback, 13-	40	1051	41 ³ / ₈
SKODA Superb , 4-dr Sedan, 15-	43	1081	42 ¹ / ₂




	Y (scale)	Y (mm)	Y (inch)
SKODA Octavia , 4-dr Sedan, 13-	36	1011	39 ³ / ₄
SKODA Octavia , 5-dr Hatchback, 13-	36	1011	39 ³ / ₄
SKODA Superb , 4-dr Sedan, 15-	39,5	1046	41 ¹ / ₈

2

SKODA Octavia, 4-dr Sedan, 13-
SKODA Octavia, 5-dr Hatchback, 13-
SKODA Superb, 4-dr Sedan, 15-



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
SKODA Octavia , 4-dr Sedan, 13-	230	690	9	27 ¹ / ₈
SKODA Octavia , 5-dr Hatchback, 13-	230	690	9	27 ¹ / ₈
SKODA Superb , 4-dr Sedan, 15-	230	750	9	29 ¹ / ₂

